Ferowin-L (Tablet)

Best For Pregnancy, Iron therapy and General Health.

Benefits:

- Extremely effective with gastrointestinal (GI) safety ensured.
- Enhanced therapeutic effectiveness.
- An excellent option for increasing hemoglobin levels.
- Promotes rapid iron replenishment.
- Rapid absorption for the quickest iron uptake.



Ferrous Bisglycinate Chelate (BP), Vitamin C(BP), L.Methylfolate (USP), Vitamin B12 (BP), Tricalcium phosphate, Magnessium stearate

CHANGING THE CONCEPT OF IRON TREATMENT

Bio Next

30 Tablets





luces l

Visit Online Store:

Contact Us:



What is Ferowin L?

Ferowin L is a multivitamin and mineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency. It is used to treat anemia (low blood count). Indicated for the treatment or prevention of iron/folate/or vitamin b12 deficiency.

The Ultimate Essential Iron-Boosting Supplement For Women

As a key component of hemoglobin, this iron supplement aids in alleviating fatigue and prevents blood deficiency, particularly during pregnancy.

What It Does?

- Prevents anemia by producing hemoglobin
- Supports a healthier pregnancy and reduces the risk of preterm birth
- Boosts energy throughout the body.

How It Works?

- Iron bis-glycinate is higher in absorption and bioavailable, making it an essential component for hemoglobin production.
- Folic acid and Vitamin b12 play a crucial role in healthy blood cell formation
- Vitamin C protects against cellular damage and supports iron absorption.

Side Effects

In case of side effects or adverse reactions, discontinue the use and seek a doctor. Some common side effects include:

- Skin allergies,
- Digestive disorders (gas, vomiting, bloating, nausea, GERD, abdominal pain, diarrhea, constipation, etc).

Ingredients:

Ferrous bisglycinate chelate,Vitamin-C , L-Methyl-Folate Generic Category: Ferrous Fumarate, Folic Acid

Each Tablet contains	
Ferrous Bisglycinate Chelate (BP)	158.0 mg
Vitamin C(BP)	50.0 mg
L_Methylfolate (USP)	500.0 mcg
Vitamin B12 (BP)	3.5 mcg
Tricalcium phosphate	447.0 mg
Magnessium stearate	15.0 mg

Dosage:

1 to 2 Tablets dailyto be taken during or after meal as directed by the physician

Disclaimer

Our goal is to provide accurate, expert-reviewed, and error-free information to our consumers. However, it's important to note that the information presented here should not replace the advice of a qualified physician. This information is for educational purposes only and may not encompass all potential precautions, side effects, contraindications, or drug interactions. We strongly advise consulting with your doctor and discussing any questions or concerns you have regarding medications or health conditions.